








CE 2014/32/EU



余姚市欧亚工具有限公司
YUYAO OUYA TOOLS CO.,LTD.



HOOK





NEW
PATENT PRODUCT

GG-59



NEW
PATENT PRODUCT

GG-58



GG-61



NEW
PATENT PRODUCT

GG-57



GG-77



GG-67

Product advantage

- High-impact ABS case
- Heat-treated spring provides long life and smooth blade rewind
- Strong belt clip

Specifications:

Item No.	Size:	Qty/Ctn.	Outer package DM(cm)	N.W./G.W.(kg)
3016	3mx16mm	12/120pcs	42x22x29	14/15
3019	3mx19mm	12/120pcs	42x22x29	15/16
5019	5mx19mm	12/120pcs	37.5x23x32	24/26
5025	5mx25mm	12/72pcs	38x20x32	20/21
7525	7.5mx25mm	6/60pcs	26x38x20	20/21
1025	10mx25mm	6/48pcs	38x30x19.5	22/23





GG-66



GG-87



GG-83



GG-88



GG-56



GG-55

Product advantage

- High-impact ABS case
- Heat-treated spring provides long life and smooth blade rewind
- Strong belt clip

Specifications:

Item No.	Size:	Qty/Ctn.	Outer package DM(cm)	N.W./G.W.(kg)
3016	3mx16mm	12/120pcs	42x22x29	14/15
3019	3mx19mm	12/120pcs	42x22x29	15/16
5019	5mx19mm	12/120pcs	37.5x23x32	24/26
5025	5mx25mm	12/72pcs	38x20x32	20/21
7525	7.5mx25mm	6/60pcs	26x38x20	20/21
1025	10mx25mm	6/48pcs	38x30x19.5	22/23





GG-54



GG-53



GG-52



GG-51



GG-50



GG-49

Product advantage

- High-impact ABS case
- Heat-treated spring provides long life and smooth blade rewind
- Strong belt clip

Specifications:

Item No.	Size:	Qty/Ctn.	Outer package DM(cm)	N.W./G.W.(kg)
3016	3mx16mm	12/120pcs	42x22x29	14/15
3019	3mx19mm	12/120pcs	42x22x29	15/16
5019	5mx19mm	12/120pcs	37.5x23x32	24/26
5025	5mx25mm	12/72pcs	38x20x32	20/21
7525	7.5mx25mm	6/60pcs	26x38x20	20/21
1025	10mx25mm	6/48pcs	38x30x19.5	22/23





GG-L30



GG-L26



LV-001 Torpedo ruler

Size: 23cm/9"

Specifications:

Size:	Qty/Ctn.	Outer package DM(cm)	G.W/N.W.(kg)
230mm/9"	120pcs	47x28x18	15/14



LV-002 Torpedo ruler

Size: 23cm/9"

Specifications:

Size:	Qty/Ctn.	Outer package DM(cm)	G.W/N.W.(kg)
230mm/9"	120pcs	47x28x18	15/14



LV-96A



LV-99B



Tape of the crank a "transmission" Principles of design, four times more than conventional tape measure to save time

3X Speed

GG-F23

Specifications:

Size:	Qty/Ctn.	Outer package DM(cm)	N.W./G.W.(kg)
20m	20pcs	32x33x47	7/8
30m	20pcs	32x33x47	9/10
50m	20pcs	32x33x47	12/13
100m	10pcs	34.5x39x47	17/18


Specifications:

Size:	Qty/Ctn.	Outer package DM(cm)	G.W/N.W(kg)
30cm/12"	60	31.5x36.5x25.5	9/8
40cm/16"	60	41.5x26.5x25.5	11/10
50cm/20"	60	51.5x26.5x25.5	13/12
60cm/24"	60	61.5x26.5x25.5	15/14
80cm/32"	60	81.5x26.5x25.5	20/19
100cm/40"	60	101.5x26.5x25.5	24/22
120cm/48"	30	121.5x19x16	15/14
150cm/60"	30	151.5x19x16	19/18




GG-519S

Material: Aluminum-alloy
Blade quantity: 1 pc





GG-519

Material: Aluminum-alloy
Blade quantity: 1 pc




GG-529

Material: Aluminum-alloy
Blade quantity: 1 pc




GG-539

Material: Aluminum-alloy
Blade quantity: 1 pc




GG-549

Material: Aluminum-alloy
Blade quantity: 1 pc



GG-521C

Material: ABS+TPR
Blade quantity: 5 pcs







GG-2502




• Blade: 25x140x0.7mm



GG-95S



GG-95



• Metal-alloy housing, multi-stop actuator and retractable blade.



GG-523A
Aluminum-alloy

GG-523Z
Zinc alloy



GG-S01



GG-S02



GG-203




GG-S04



GG-95



GG-96





YUYAO OUYA TOOLS CO.,LTD.

Add: No.14 Haiguan Rd., Lizhou town, Yuyao, Zhejiang, China

Tel: 0086-574-22672953 Fax: 0086-574-22672953

www.ouyatools.com E-mail: sales1@ouyatools.com